



**RIPE NCC**  
RIPE NETWORK COORDINATION CENTER

# OAuth 2.0 Authentication

---

Adonis Stergiopoulos



# Why OAuth 2.0?

---

# What is OAuth 2.0?



**OAuth 2.0 is a standard designed to access resources hosted by other web apps on behalf of a user**

OAuth 2.0 provides a **standardised** and **secure** mechanism for applications to access our external APIs, without exposing user credentials.

- Security
- Flexibility
- Access Control



January 2025:

## Introduction of API keys to authenticate updates in the RIPE Database

- Our aim is to offer solutions that enable third-party applications to securely integrate with the RIPE Database
- OAuth 2.0 is being implemented **as an alternative to using API keys** for authentication
- API keys and the OAuth 2.0 solution are complementary.

# API Keys vs OAuth 2.0



Feature	API Keys	OAuth 2.0
<b>Credentials</b>	Managed by user	Managed by third-party applications
<b>App identity</b>	✗	✓
<b>Scopes</b>	✓	✓
<b>Session lifetime</b>	Lifetime is configurable up to 1 year	Access token is valid for 1 hour. Refresh token is valid for 365 days.



# Authorisation Flows

---



## What are they?

Authorisation Flows are the process by which a **Client App** obtains authorisation from a **User** to access their protected data on a **Resource Server**.

OAuth 2.0 provides different flows depending on:

- Type of client
- Security requirements





<b>1.</b>	<b>Ability to authenticate on behalf of other users</b>
<b>2.</b>	<b>Provide support for Web Applications</b>
<b>3.</b>	<b>Provide support for simple Command Line scripts</b>
<b>4.</b>	<b>Minimise the need for user intervention</b>
<b>5.</b>	<b>Provide support for 'scopes'</b>



## Authorisation Code Flow (with PKCE)

**Recommended for:** Web apps, Mobile apps and SPAs

- + Built-in security (*client\_secret*, *redirect\_uri*, PKCE)
- Needs public URL for *redirect\_uri*
- Client Apps must support PKCE



## Device Code Flow

**Recommended for:** Limited input devices (e.g. CLI)

- + Would work for CLI clients authenticating for themselves
- + Less development work for Client App
- Less secure due to lack of *redirect\_uri*
- Vulnerable to phishing attacks





















## Client Credentials Flow (with Token Exchange)

**Recommended for:** Machine to machine communication

- + High level of flexibility in Token Exchange
- + Less development work for Client App
- Not suitable for public clients
- Significant RIPE NCC development required to ensure the Token Exchange is secure

# User Requirements



	Authorisation Code Flow (PKCE) 	Device Code Flow 	Client Credentials Flow (with Token Exchange) 
Web Applications			
Command Line Scripts	 *		
Authenticate on behalf of other Users			
Minimise User intervention			
Support for scopes			

\*some limitations are applicable

# Authorisation Code Flow (with PKCE)




## Recommended solution

- **Features:**
  - Supports both interactive and offline use
  - Sessions can be app-specific (Whois, RPKI, etc.)
- **User friendliness:**
  - Simply requires the User to click on a login button, provide their credentials and give consent for scope security
- **Development:**
  - Comes out of the box with Keycloak (SSO)
  - Exploring possibilities for command line scripts
- **Security:**
  - Offers PKCE for additional security

## Next steps

- Phase 1 will be delivered in mid-2025




*Preview of an OAuth 2.0 authorisation window*




# Authorisation Code Flow Architecture

---

# Getting Tokens with Authorisation Code Flow (with PKCE)



# Using OAuth 2.0 Tokens to Call the RIPE Database API





# Tokens

---



OAuth 2.0 defines two main type of tokens:



## **Access tokens** (default)

- Short-lived credential
- Grants access to protected resources
- Is sent with each API request  
(in http header)
- Proposed lifetime: 1 hour



## **Refresh tokens** (optional)

- A long lived credential
- Used to obtain a new access token  
when that expires.
- Is NOT sent to normal API request  
(stored in a safe location instead)
- Proposed lifetime: 365 days



# Expiration Time of Tokens



The expiry time of a token has no standards in OAuth 2.0. It's always a trade-off between security and usability.

	<b>Short Expiry</b> (high security)	<b>Long Expiry</b> (high usability)
<b>Pros</b>	Stolen token can only be used for a short period.	Users remain logged in for extended periods, reducing the risk of disruptions if a page refresh fails
<b>Cons</b>	More network traffic for generating access tokens.	If token is stolen it can be used longer and it's harder to detect that it's stolen.

# Share Your Feedback



- We need your input on the different types of use cases
- We are looking for volunteers to test our proposed Authorisation Code Flow solution
- Book a demo with us while in Lisbon or online from next week





# Questions & Comments




astergiopoulos@ripe.net




**RIPE NCC**  
RIPE NETWORK COORDINATION CENTER

**THANK YOU!**



**User**

**Controls Access**



**Client App**

**Requests permission**



**Authorisation Server**

**Checks identity**



**Resource Server**

**RIPE Database**



**RIPE NCC**  
RIPE NETWORK COORDINATION CENTER

# TITLE OF THE PRESENTATION

---

SUBTITLE + DESCRIPTION



## Developer submits Client App details:

- **Client Name:** the name of the application
- **Redirect URIs:** URLs where the application is hosted and Auth Server can send responses to
- **Developer contact details**



Client App

## Supported application type first release:

- **Web application that supports OAuth 2.0 Authorisation code flow with PKCE**
- **Confidential Client:** Server-side apps that can store client\_secret safely)

## After approval, the RIPE NCC provides for external app:

- ***client\_id*:** a public identifier for the Client App
- ***client\_secret*:** a confidential key that should be kept secret

# Proposal: alternative slide



## 1. Request access at RIPE NCC to let your application use OAuth2 to call RIPE NCC api's.

Provide your contact details and URL where the app is hosted.



Client App

## 2. RIPE NCC will evaluate application

Some procedure will take place (f.e. Identification or signing a agreement), then a personal client\_id and client\_secret are provided to you (which should be kept secret).

## 3. Build an application:

Now you can build your own web application in the programming language you prefer. This application needs to support:

- **OAuth 2.0 Authorisation code flow with PKCE**
- **Confidential Client:** Server-side app that can store client\_secret safely
- Host it on the URL that you requested.

# HOW TO USE THIS PRESENTATION TEMPLATE



**The following slides (from 4 to 16) are the layouts available in this Google Slides theme.**

- **Page 4 - Cover Page**
- **Page 5 - Section Divider Page**
- **Page 6 - Table of Contents**
- **Page 7 - Team Page** / 5 Column Images + description
- **Page 8 - Profile Page** / 1 Image + 1 Column of text
- **Page 9** - 1 column of text
- **Page 10** - 1 column of text with bullets
- **Page 11** - 1 Column of text + 1 image
- **Page 12** - 3 Columns of text
- **Page 13** - 2 Columns of text
- **Page 14** - 3 Columns of text with 3 images
- **Page 15 - Questions & Comments Page**
- **Page 16 - Thank You Page**

# HOW TO UPDATE THE FOOTER


Editing: RIPE NCC - Main - 1 Column text + image (Used by 26 slides)

Rename


Reapply to all

## PLEASE NOTE:

On each individual layout, **do not select the “Reapply to all” button** (the blue one), as this will make changes to all the pages, not just the individual layout you want to change.



1. Go to View and then select Theme Builder.



2. Now you are in Editing Mode.

Change the footer description on the first layout (highlighted with a yellow \*)

Copy the updated footer to the other layout pages that use a footer. After that, the footer will be automatically updated on all pages once you close the editing mode.



**RIPE NCC**  
RIPE NETWORK COORDINATION CENTER

# TITLE OF THE PRESENTATION

---

SUBTITLE + DESCRIPTION



# SECTION DIVIDER TITLE

---

# Table of contents



**1.**

This is an agenda point

**2.**

This is an agenda point

**3.**

This is an agenda point

**4.**

This is an agenda point

**5.**

This is an agenda point

**6.**

This is an agenda point







## Click to add a subheading

Use this section if you have big chunks of text



## Click to add a subheading

- Use this section if you have big chunks of text
- se this section if you have big chunks of text
- Use this section if you have big chunks of text
- Use this section if you have big chunks of text
- Use this section if you have big chunks of text
- Use this section if you have big chunks of text



## Click to add a subheading

A smaller chunk of text plus an image









# Questions & Comments



[email@email.net](mailto:email@email.net)

# EXAMPLE LAYOUTS

**The following slides (from 18 to 46) are examples of possible layouts that you can use.**

Feel free to Copy and Paste text boxes, graphics or images to other slides or simply duplicate the slides and make the necessary changes to accommodate your content.

**Slides 48 to slide 55 contain references (colours, icons) to use in your presentations.**



# Hello!




## I'm Jane Doe

Feel free to edit this small piece  
of text according to your needs.




[email@email.net](mailto:email@email.net)

# Meet our Team




**Jane Doe**

Title or Position




**Jane Doe**

Title or Position




**Jane Doe**

Title or Position




**Jane Doe**

Title or Position




**Jane Doe**

Title or Position




**Jane Doe**

Title or Position




**Jane Doe**

Title or Position




**Jane Doe**

Title or Position



**Jane Doe**


Title or Position



**Jane Doe**


Title or Position

# Meet Our Team




**Jane Doe**

Title or Position




**Jane Doe**

Title or Position




**Jane Doe**

Title or Position



**Jane Doe**

Title or Position



**Jane Doe**

Title or Position

## This is a subtitle

- Feel free to edit this small piece of text according to your needs
- Feel free to edit this small piece of text according to your needs
- Feel free to edit this small piece of text according to your needs




[email@email.net](mailto:email@email.net)

**This a title with a few words!**



**This is some  
placeholder text just  
to fill this space**

**This a title with a few words!**



**This is some  
placeholder text  
just to fill this  
space**

**This a title with a few words!**



**This is some  
placeholder text  
just to fill this space**

This is some placeholder text just to fill this space

# This a small map with data



01 Location 01

02 Location 02

03 Location 03

04 Location 04

05 Location 05

06 Location 06

07 Location 07

08 Location 08



# This a Title with a few words!



## This is a Subheading

### This is a Subtitle

- Feel free to edit this small piece of text according to your needs
- Feel free to edit this small piece of text according to your needs
- Feel free to edit this small piece of text according to your needs

### This is a Subtitle

- Feel free to edit this small piece of text according to your needs
- Feel free to edit this small piece of text according to your needs
- Feel free to edit this small piece of text according to your needs

### This is a Subtitle


- Feel free to edit this small piece of text according to your needs
- Feel free to edit this small piece of text according to your needs
- Feel free to edit this small piece of text according to your needs

# This a title with a few words!




## This is a subtitle

- Feel free to edit this small piece of text according to your needs
  - Sub bullet
  - Sub bullet
  - Sub bullet
  - Sub bullet
- Feel free to edit this small piece of text according to your needs




# This a title with a few words!




## This is a subtitle

- Feel free to edit this small piece of text according to your needs
- Feel free to edit this small piece of text according to your needs



## This is a subtitle

- Feel free to edit this small piece of text according to your needs
- Feel free to edit this small piece of text according to your needs




## This is a subtitle

- Feel free to edit this small piece of text according to your needs
- Feel free to edit this small piece of text according to your needs

# This a title with a few words!




**Name of the Event**




**Location of the event**  
Date of the event

**Name of the Event**




**Location of the event**  
Date of the event

**Name of the Event**




**Location of the event**  
Date of the event

**Name of the Event**




**Location of the event**  
Date of the event

**Name of the Event**




**Location of the event**  
Date of the event

**Name of the Event**




**Location of the event**  
Date of the event

**Name of the Event**



**Location of the event**  
Date of the event

**Name of the Event**



**Location of the event**  
Date of the event

# This a title with a few words!



**Name of the Event**



- Location of the event
- Date of the event

**Name of the Event**




- Location of the event
- Date of the event

**Name of the Event**



- Location of the event
- Date of the event

**Name of the Event**




- Location of the event
- Date of the event

**Name of the Event**




- Location of the event
- Date of the event

**Name of the Event**



- Location of the event
- Date of the event

**Name of the Event**



- Location of the event
- Date of the event

**Name of the Event**




- Location of the event
- Date of the event

# This a title with a few words!



## This is a subtitle

- Feel free to edit this small piece of text according to your needs
- Feel free to edit this small piece of text according to your needs
- Feel free to edit this small piece of text according to your needs




# This a Header with a few words!



## This is a subtitle


- Feel free to edit this small piece of text according to your needs
  - Sub bullet
  - Sub bullet
  - Sub bullet
  - Sub bullet
- Feel free to edit this small piece of text according to your needs




# This a title with a few words!



- Feel free to edit this small piece of text



This is a small caption



This is a small caption

# This a title with a few words!



## This is a subtitle

Feel free to edit this small piece of text according to your needs

Feel free to edit this small piece of text according to your needs

Feel free to edit this small piece of text according to your needs


Feel free to edit this small piece of text according to your needs



# This a title with a few words!



**This is a subtitle**



Feel free to edit  
this small piece  
of text according  
to your needs

**This is a subtitle**



Feel free to edit  
this small piece  
of text according  
to your needs

**This is a subtitle**



Feel free to edit  
this small piece  
of text according  
to your needs

**This is a subtitle**



Feel free to edit  
this small piece  
of text according  
to your needs

# This a title with a few words!



01

Feel free to edit  
this small piece  
of text according  
to your needs



02

Feel free to edit  
this small piece  
of text according  
to your needs



03

Feel free to edit  
this small piece  
of text according  
to your needs



04

Feel free to edit  
this small piece  
of text according  
to your needs



# This a title with a few words!



## This is a small subtitle



### This is a Subtitle

Feel free to edit this small piece of text



### This is a Subtitle

Feel free to edit this small piece of text



### This is a Subtitle

Feel free to edit this small piece of text



### This is a Subtitle

Feel free to edit this small piece of text

# This a title with a few words!



## This is a subtitle

This is a small description of the table data this is a small description of the table data.



**This is a subtitle**



**This is a subtitle**




**This is a subtitle**



**This is a subtitle**



**This is a subtitle**



**This is a subtitle**



**This is a subtitle**



**This is a subtitle**

## This is a small table with data




Year	2013	2019	Change
LIRs	25,100	23,400	-7%
Total Cost	EUR 32M	EUR 35M	9%
Inflation	-	-	17%
Cost/LIR	EUR 1,278	EUR 1,480	16%

# This is a small table



<b>1.</b>	<b>Feel free to edit this piece of text</b>
<b>2.</b>	<b>Feel free to edit this piece of text</b>
<b>3.</b>	<b>Feel free to edit this piece of text</b>
<b>4.</b>	<b>Feel free to edit this piece of text</b>
<b>5.</b>	<b>Feel free to edit this piece of text</b>

# This is a small table




This is a small description of the table data this is a small description of the table data.

# This is a small table




## This is a subtitle

This is a small description of the table data this is a small description of the table data.



# This is a small table



This is a small description of the table data this is a small description of the table data.



# How was your meeting?

We kindly ask for a moment of your time to complete this short survey. It's quick and easy, taking just a few minutes.



**RIPE NCC**  
RIPE NETWORK COORDINATION CENTER

**THANK YOU!**

# RESOURCE PAGES

**The following slides (from 48 to 55) have all the necessary references (colors, icons) you will need in your presentations.**

**This presentation template uses the following fonts:**

Titles - Verdana Bold

Subtitles - Verdana Bold

Body Copy - Verdana



# Colour Palette Used

## Main colours



RGB:  
19, 31, 72  
Hex:  
#131f48



RGB:  
42, 69, 135  
Hex:  
#2a4587



RGB:  
243, 107, 33  
Hex:  
#f36b21



RGB:  
108, 190, 69  
Hex:  
#6cbe45



RGB:  
0, 156, 167  
Hex:  
#009ca7



RGB:  
37, 49, 106  
Hex:  
#25316a



RGB:  
143, 183, 225  
Hex:  
#8fb7e1



RGB:  
53, 107, 180  
Hex:  
#356bb4



RGB:  
82, 69, 156  
Hex:  
#52459c

## Extra colours



RGB:  
213, 42, 39  
Hex:  
#d52a27



RGB:  
250, 173, 27  
Hex:  
#faad1b



RGB:  
39, 176, 75  
Hex:  
#27b04b



RGB:  
101, 101, 101  
Hex:  
#c9c9c9



RGB:  
3, 92, 84  
Hex:  
#035c54



RGB:  
47, 157, 193  
Hex:  
#2f9dc1




RGB:  
145, 84, 182  
Hex:  
#9155a2



RGB:  
199, 41, 141  
Hex:  
#c7298d

# Icons resource page | data protection



# Icons resource page | networking




# Icons resource page | ethics




# Icons resource page | strategy



# Icons resource page | training and coaching



# Icons resource page | programming



# Icons resource page | [contact us](#)





<b>1.</b>	<b>Ability to authenticate on behalf of other users</b>
<b>2.</b>	<b>Provide support for Web Applications</b>
<b>3.</b>	<b>Provide support for simple Command Line scripts</b>
<b>4.</b>	<b>Minimise the need for user intervention</b>
<b>5.</b>	<b>Provide support for 'scopes'</b>